



DEPESEAL MECHANICAL SEAL DEPESEAL mechanical sealing

E-JC5611Q type, replacement product of John Crane 5611Q type

Temperature: -30~+205 °C

Speed: 25m/s

Pressure: 2.8Mpa



- 6 Stationary ring
- 7 O-ring
- 1 Sleeve
- 2 O-ring
- 3 Spring
- 4 Throw-out ring
- 5 Rubber bellow
- 13 HSH cap screw
- 14 Gland
- 15 Gasket

d	d2	d4 Min	d4 Max	Dz	I12	I23	I39	I56	I90	I91	I92	Dm	S
1	1.562	1.625	1.889	4	3.327	1.353	1.954	0.531	2	1.498	1.373	2.805	0.525
1.125	1.687	1.75	2.015	4.125	3.183	1.446	2.062	0.531	2.125	1.246	1.121	2.933	0.525
1.25	1.812	1.875	2.294	4.25	3.39	1.446	2.062	0.531	2.125	1.453	1.328	3.213	0.525
1.375	1.937	2	2.421	4.375	3.29	1.446	2.062	0.531	2.125	1.353	1.228	3.338	0.525
1.5	2.156	2.218	2.68	4.875	3.548	1.487	2.125	0.593	2.187	1.548	1.423	3.599	0.525
1.625	2.281	2.343	2.812	5	3.61	1.487	2.125	0.593	2.187	1.61	1.485	3.766	0.562
1.75	2.406	2.48	2.918	5.25	3.626	1.487	2.125	0.593	2.187	1.626	1.501	3.875	0.562
1.875	2.531	2.625	2.918	5.25	3.626	1.487	2.125	0.593	2.187	1.626	1.501	3.875	0.562
2	2.687	2.75	3.015	5.5	4.042	1.601	2.312	1.063	2.375	1.854	1.729	4	0.562
2.125	2.812	2.875	3.36	5.859	4.042	1.601	2.312	0.593	2.375	1.854	1.729	4.469	0.687
2.25	2.937	3	3.485	6.5	4.167	1.601	2.312	0.593	2.375	1.979	1.854	4.566	0.687
2.375	3.062	3.125	3.61	6.5	4.062	1.717	2.466	0.625	2.528	1.783	1.596	4.719	0.687
2.5	3.25	3.375	3.891	6.75	4.325	1.717	2.563	0.625	2.625	1.877	1.762	5	0.687
2.625	3.5	3.625	4.062	6.75	4.566	1.625	2.5	0.625	2.562	2.191	2.066	5.17	0.687
2.75	3.5	3.625	4.062	6.75	4.566	1.625	2.5	0.625	2.562	2.191	2.066	5.17	0.687
2.875	3.625	3.695	4.186	7	4.578	1.725	2.5	0.625	2.562	2.203	2.078	5.312	0.687
3	3.937	4	4.469	7.75	4.75	1.787	2.562	0.685	2.625	2.313	2.188	5.72	0.812
3.125	4.062	4.125	4.6	7.875	4.781	1.593	2.562	—	2.687	2.344	2.219	5.845	0.812
3.25	4.062	4.125	4.6	7.437	4.718	1.593	2.51	—	2.635	2.333	2.208	5.845	0.812
3.375	4.312	4.375	4.85	8.125	4.969	1.593	2.562	—	2.687	2.562	2.407	6.095	0.812
3.5	4.437	4.5	4.975	8.25	4.969	1.593	2.562	—	2.687	2.532	2.407	6.22	0.812
3.625	4.562	4.625	5.1	8.375	5.218	1.593	2.562	—	2.687	2.781	2.656	6.25	0.687
3.75	4.687	4.781	5.199	8.75	5.031	1.593	2.562	—	2.687	2.594	2.469	6.77	0.687
3.875	4.875	4.968	5.375	8.75	5.093	1.593	2.562	—	2.687	2.656	2.531	6.636	0.812
4	5.021	5.114	5.5	9	5.406	1.593	2.562	—	2.687	2.969	2.844	6.761	0.812

d	d2	d4 Min	d4 Max	Dz	I12	I23	I39	I56	I90	I91	I92	Dm	S
24	39.7	41.3	48	101.6	84.5	34.4	49.6	13.5	50.8	38	34.9	71.2	13.3
25	39.7	41.3	48	101.6	84.5	34.4	49.6	13.5	50.8	38	34.9	71.2	13.3
28	42.9	44.5	51.2	104.8	80.8	36.7	52.4	13.5	54	31.6	28.5	74.5	13.3
30	44.5	46.1	56.5	108	81.7	36.7	52.4	13.5	54	32.5	29.4	81.6	13.3
32	45	47.6	58.3	108	86.1	36.7	52.4	13.5	54	36.9	33.7	81.6	13.3
33	49.2	50.8	61.5	111.1	83.6	36.7	52.4	13.5	54	34.4	31.2	84.8	13.3
35	49.2	50.8	61.5	111.1	83.6	36.7	52.4	13.5	54	34.4	31.2	84.8	13.3
38	54.8	56.3	68.1	123.8	90.1	37.8	54	15.1	55.6	39.3	36.1	91.4	13.3
40	57.9	59.5	71.4	127	91.7	37.8	54	15.1	55.6	40.9	37.7	95.7	14.3
43	61.1	63	74.1	133.4	92.1	37.8	54	15.1	55.6	41.3	38.1	98.4	14.3
45	61.1	63	74.1	133.4	92.1	37.8	54	15.1	55.6	41.3	38.1	98.4	14.3
48	64.3	66.7	74.1	133.4	92.1	37.8	54	15.1	55.6	41.3	38.1	98.4	14.3
50	68.2	70	76.6	139.7	102.7	40.7	58.7	27	60.3	47.1	43.9	101.6	14.3
53	71.4	73	85.3	148.8	102.7	40.7	58.7	15.1	60.3	47.1	43.9	113.5	17.4
55	74.6	76.7	85.3	148.8	105.8	40.7	58.7	15.1	60.3	50.3	47.1	113.5	17.4
58	74.6	76.2	88.5	165.1	105.8	40.7	58.7	15.1	60.3	50.3	47.1	116	17.4
60	77.8	79.4	91.7	165.1	103.2	43.6	62.6	15.9	64.2	43.7	40.5	119.9	17.4
63	82.6	85.7	98.8	171.5	109.9	43.6	65.1	15.9	66.7	48	44.8	127	17.4
65	82.6	85.7	98.8	171.5	109.9	43.6	65.1	15.9	66.7	48	44.8	127	17.4
68	88.9	92.1	103.2	171.5	116	41.2	63.5	15.9	65.1	55.7	52.5	131.3	17.4
70	88.9	92.1	103.2	171.5	116	41.2	63.5	15.9	65.1	55.7	52.5	131.3	17.4
75	100	101.6	113.5	196.9	120.7	45.4	65.1	17.4	66.7	58.8	55.6	145.3	20.6
80	103.2	104.8	116.8	188.9	119.8	40.5	63.8	—	68.9	59.3	56.1	148.4	20.6
85	109.5	111.1	123.2	206.4	126.2	40.5	65.1	—	68.3	64.3	61.1	154.8	20.6
90	115.9	117.5	129.5	212.7	132.5	40.5	65.1	—	68.3	70.6	67.5	158.8	17.4
95	119.1	121.4	132.1	222.3	127.8	40.5	65.1	—	68.3	65.9	62.7	172	17.4
100	127.5	129.9	139.7	228.6	137.3	40.5	65.1	—	68.3	75.4	72.2	171.7	20.6
125	165.1	167.5	184.4	304.8	162.7	44.4	77.2	—	80.5	88.5	88.4	254	20.6

TEL: 86-0335-8509423

MOB: 86-18630350089

E-MAIL:sales@depeseal.com

http://www.depeseal.com

ADD: 13-104, 29 Longhai Road, Economic and Technological Development Zone, Qinhuangdao City